

Синтаксис

Дочерние элементы: >

```
nav>ul>li
  <nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

```
(div>dl>(dt+dd)*3)+footer>p
```

```
<div>
  <dl>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
  </dl>
</div>
<footer>
  <p></p>
</footer>
```

Multiplication: *

```
ul>li*5
  <ul>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
  </ul>
```

Item numbering: \$

```
ul>li.item$*5
  <ul>
    <li class="item1"></li>
    <li class="item2"></li>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
  </ul>
```

```
h${title=item$}{Header $}*3
```

```
<h1 title="item1">Header 1</h1>
<h2 title="item2">Header 2</h2>
<h3 title="item3">Header 3</h3>
```

```
ul>li.item$$$*5
```

```
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>
```

ul>li.item\$@-*5

```
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>
```

ul>li.item\$@3*5

```
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>
```

ID and CLASS attributes

#header

```
<div id="header"></div>
```

.title

```
<div class="title"></div>
```

form#search.wide

```
<form id="search" class="wide"></form>
```

p.class1.class2.class3

```
<p class="class1 class2 class3"></p>
```

Custom attributes

p[title="Hello world"]

```
<p title="Hello world"></p>
```

td[rowspan=2 colspan=3 title]

```
<td rowspan="2" colspan="3" title=""></td>
```

[a='value1' b="value2"]

```
<div a="value1" b="value2"></div>
```

Text: {}

a{Click me}

```
<a href="">Click me</a>
```

p>{Click }+a{here}+{ to continue}

```
<p>Click <a href="">here</a> to continue</p>
```

Implicit tag names

.class

```
<div class="class"></div>
```

em>.class

```
<em><span class="class"></span></em>
```

ul>.class

```
<ul>
  <li class="class"></li>
</ul>
```

table>.row>.col

```
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

!	Alias of html:5 <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8" /> <title>Document</title> </head> <body> </body> </html>	link:print <link rel="stylesheet" href="print.css" media="print" />
a	 	link:favicon <link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />
a:link	 	link:touch <link rel="apple-touch-icon" href="favicon.png" />
a:mail	 	link:rss <link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" />
abbr	<abbr title=" "> </abbr>	link:atom <link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />
acronym, acr	<acronym title=" "> </acronym>	link:import, link:im <link rel="import" href="component.html" />
base	<base href=" " />	meta <meta />
basefont	<basefont />	meta:utf <meta http-equiv="Content-Type" content="text/html;charset=UTF-8" />
br	 	meta:win <meta http-equiv="Content-Type" content="text/html;charset=windows-1251" />
frame	<frame />	meta:vp <meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" />
hr	<hr />	meta:compat <meta http-equiv="X-UA-Compatible" content="IE=7" />
bdo	<bdo dir=" "> </bdo>	style <style> </style>
bdo:r	<bdo dir="rtl"> </bdo>	script <script> </script>
bdo:l	<bdo dir="ltr"> </bdo>	script:src <script src=" "> </script>
col	<col />	img
link	<link rel="stylesheet" href=" " />	img:srcset, img:s
link:css	<link rel="stylesheet" href="style.css" />	img:sizes, img:z
		picture <picture> </picture>

source, src	label
<code><source /></code>	<code><label for=" " /></label></code>
source:src, src:sc	input
<code><source src=" " type=" " /></code>	<code><input type="text" /></code>
source:srcset, src:s	inp
<code><source srcset=" " /></code>	<code><input type="text" name=" " id=" " /></code>
source:media, src:m	input:hidden, input:h
<code><source media="(min-width:)" srcset=" " /></code>	Alias of input[type=hidden name]
source:type, src:t	<code><input type="hidden" name=" " /></code>
<code><source srcset=" " type="image/" /></code>	input:text, input:t
source:sizes, src:z	Alias of inp
<code><source sizes=" " srcset=" " /></code>	<code><input type="text" name=" " id=" " /></code>
source:media:type, src:mt	input:search
<code><source media="(min-width:)" srcset=" " type="image/" /></code>	Alias of inp[type=search]
source:media:sizes, src:mz	<code><input type="search" name=" " id=" " /></code>
<code><source media="(min-width:)" sizes=" " srcset=" " /></code>	input:email
source:sizes:type, src:zt	Alias of inp[type=email]
<code><source sizes=" " srcset=" " type="image/" /></code>	<code><input type="email" name=" " id=" " /></code>
iframe	input:url
<code><iframe src=" " frameborder="0"></iframe></code>	Alias of inp[type=url]
embed	<code><input type="url" name=" " id=" " /></code>
<code><embed src=" " type=" " /></code>	input:password, input:p
object	Alias of inp[type=password]
<code><object data=" " type=" " /></object></code>	<code><input type="password" name=" " id=" " /></code>
param	input:datetime
<code><param name=" " value=" " /></code>	Alias of inp[type=datetime]
map	<code><input type="datetime" name=" " id=" " /></code>
<code><map name=" " /></map></code>	input:date
area	Alias of inp[type=date]
<code><area shape=" " coords=" " href=" " alt=" " /></code>	<code><input type="date" name=" " id=" " /></code>
area:d	input:datetime-local
<code><area shape="default" href=" " alt=" " /></code>	Alias of inp[type=datetime-local]
area:c	<code><input type="datetime-local" name=" " id=" " /></code>
<code><area shape="circle" coords=" " href=" " alt=" " /></code>	input:month
area:r	Alias of inp[type=month]
<code><area shape="rect" coords=" " href=" " alt=" " /></code>	<code><input type="month" name=" " id=" " /></code>
area:p	input:week
<code><area shape="poly" coords=" " href=" " alt=" " /></code>	Alias of inp[type=week]
form	<code><input type="week" name=" " id=" " /></code>
<code><form action=" " /></form></code>	input:time
form:get	Alias of inp[type=time]
<code><form action=" " method="get"></form></code>	<code><input type="time" name=" " id=" " /></code>
form:post	input:tel
<code><form action=" " method="post"></form></code>	Alias of inp[type=tel]

<code><input type="tel" name=" " id=" " /></code>	<code>menu:toolbar, menu:t</code>
<code>input:number</code>	Alias of <code>inp[type=number]</code>
Alias of <code>inp[type=number]</code>	<code><menu type="toolbar"> </menu></code>
<code><input type="number" name=" " id=" " /></code>	<code>video</code>
<code>input:color</code>	<code><video src=" "> </video></code>
Alias of <code>inp[type=color]</code>	<code>audio</code>
<code><input type="color" name=" " id=" " /></code>	<code><audio src=" "> </audio></code>
<code>input:checkbox, input:c</code>	<code>html:xml</code>
Alias of <code>inp[type=checkbox]</code>	<code><html xmlns="http://www.w3.org/1999/xhtml"> </html></code>
<code><input type="checkbox" name=" " id=" " /></code>	<code>keygen</code>
<code>input:radio, input:r</code>	<code><keygen /></code>
Alias of <code>inp[type=radio]</code>	<code>command</code>
<code><input type="radio" name=" " id=" " /></code>	<code><command /></code>
<code>input:range</code>	<code>button:submit, button:s, btn:s</code>
Alias of <code>inp[type=range]</code>	Alias of <code>button[type=submit]</code>
<code><input type="range" name=" " id=" " /></code>	<code><button type="submit"> </button></code>
<code>input:file, input:f</code>	<code>button:reset, button:r, btn:r</code>
Alias of <code>inp[type=file]</code>	Alias of <code>button[type=reset]</code>
<code><input type="file" name=" " id=" " /></code>	<code><button type="reset"> </button></code>
<code>input:submit, input:s</code>	<code>button:disabled, button:d, btn:d</code>
<code><input type="submit" value=" " /></code>	Alias of <code>button[disabled.]</code>
<code>input:image, input:i</code>	<code><button disabled="disabled"> </button></code>
<code><input type="image" src=" " alt=" " /></code>	<code>fieldset:disabled, fieldset:d, fset:d, fst:d</code>
<code>input:button, input:b</code>	Alias of <code>fieldset[disabled.]</code>
<code><input type="button" value=" " /></code>	<code><fieldset disabled="disabled"> </fieldset></code>
<code>isindex</code>	<code>bq</code>
<code><isindex /></code>	Alias of <code>blockquote</code>
<code>input:reset</code>	<code><blockquote> </blockquote></code>
Alias of <code>input:button[type=reset]</code>	<code>fig</code>
<code><input type="reset" value=" " /></code>	Alias of <code>figure</code>
<code>select</code>	<code><figure> </figure></code>
<code><select name=" " id=" "></select></code>	<code>figcaption</code>
<code>select:disabled, select:d</code>	Alias of <code>figcaption</code>
Alias of <code>select[disabled.]</code>	<code><figcaption> </figcaption></code>
<code><select name=" " id=" " disabled="disabled"> </select></code>	<code>pic</code>
<code>option, opt</code>	Alias of <code>picture</code>
<code><option value=" "> </option></code>	<code><picture> </picture></code>
<code>textarea</code>	<code>ifr</code>
<code><textarea name=" " id=" " cols="30" rows="10"> </textarea></code>	Alias of <code>iframe</code>
<code>marquee</code>	<code><iframe src=" " frameborder="0"> </iframe></code>
<code><marquee behavior=" " direction=" "> </marquee></code>	<code>emb</code>
<code>menu:context, menu:c</code>	Alias of <code>embed</code>
Alias of <code>menu[type=context]</code>	<code><embed src=" " type=" " /></code>
<code><menu type="context"> </menu></code>	

obj	Alias of object <object data="" type=""></object>	
cap	Alias of caption <caption> </caption>	prog Alias of progress <progress> </progress>
colg	Alias of colgroup <colgroup> </colgroup>	mn Alias of main <main> </main>
fst, fset	Alias of fieldset <fieldset> </fieldset>	tem Alias of template <template> </template>
btn	Alias of button <button> </button>	datag Alias of datagrid <datagrid> </datagrid>
optg	Alias of optgroup <optgroup> </optgroup>	datal Alias of datalist <datalist> </datalist>
tarea	Alias of textarea <textarea name="" id="" cols="30" rows="10"> </textarea>	kg Alias of keygen <keygen />
leg	Alias of legend <legend> </legend>	out Alias of output <output> </output>
sect	Alias of section <section> </section>	det Alias of details <details> </details>
art	Alias of article <article> </article>	cmd Alias of command <command />
hdr	Alias of header <header> </header>	doc Alias of html>(head>meta[charset=\${charset}]+title{\${1:Document }})+body <html> <head> <meta charset="UTF-8" /> <title>Document</title> </head> <body> </body> </html>
fttr	Alias of footer <footer> </footer>	
adr	Alias of address <address> </address>	
dlg	Alias of dialog <dialog> </dialog>	
str	Alias of strong	

<p>doc4</p> <p>Alias of html>(head>meta[http-equiv="Content-Type" content="text/html; charset=\${charset}"]+title{\$1:Document}))>body</p> <pre><html> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title> Document </title> </head> <body> </body> </html></pre>	<p>html:4s</p> <p>Alias of !!!4s+doc4[lang=\${lang}]</p> <pre><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd"> <html lang="en"> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title> Document </title> </head> <body> </body> </html></pre>
<p>ri:dpr, ri:d</p> <p>Alias of img:s</p> <pre></pre>	<p>html:xt</p> <p>Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]</p> <pre><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1- transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title> Document </title> </head> <body> </body> </html></pre>
<p>ri:viewport, ri:v</p> <p>Alias of img:z</p> <pre></pre>	
<p>ri:art, ri:a</p> <p>Alias of pic>src:m+img</p> <pre><picture> <source media="(min-width:)" srcset=" " /> </picture></pre>	
<p>ri:type, ri:t</p> <p>Alias of pic>src:t+img</p> <pre><picture> <source srcset=" " type="image/" /> </picture></pre>	<p>html:xs</p> <p>Alias of !!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]</p> <pre><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1- strict.dtd"> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title> Document </title> </head> <body> </body> </html></pre>
<p>html:4t</p> <p>Alias of !!!4t+doc4[lang=\${lang}]</p> <pre><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd"> <html lang="en"> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title> Document </title> </head> <body> </body> </html></pre>	

html:xxs

Alias of
 !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml
 xml:lang=\${lang}]
 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
 <html xmlns="http://www.w3.org/1999/xhtml"
 xml:lang="en">
 <head>
 <meta http-equiv="Content-Type"
 content="text/html; charset=UTF-8" />
 <title>Document</title>
 </head>
 <body>
 |
 </body>
 </html>

html:5

Alias of !!!+doc[lang=\${lang}]
 <!DOCTYPE html>
 <html lang="en">
 <head>
 <meta charset="UTF-8" />
 <title>Document</title>
 </head>
 <body>
 |
 </body>
 </html>

ol+

Alias of ol>li

 |

ul+

Alias of ul>li

 |

dl+

Alias of dl>dt+dd
 <dl>
 <dt>|</dt>
 <dd>|</dd>
 </dl>

map+

Alias of map>area
 <map name="|">
 <area shape="|" coords="|" href="" alt="|" />
 </map>

table+

Alias of table>tr>td
 <table>
 <tr>
 <td>|</td>
 </tr>
 </table>

colgroup+, colg+

Alias of colgroup>col
 <colgroup>
 <col />
 </colgroup>

tr+

Alias of tr>td
 <tr>
 <td>|</td>
 </tr>

select+

Alias of select>option
 <select name="|" id="|">
 <option value="|">|</option>
 </select>

optgroup+, optg+

Alias of optgroup>option
 <optgroup>
 <option value="|">|</option>
 </optgroup>

pic+

Alias of picture>source:srcset+img
 <picture>
 <source srcset="|" />

 </picture>

!!!

<!DOCTYPE html>

!!!4t

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
 Transitional//EN"
 "http://www.w3.org/TR/html4/loose.dtd">

!!!4s

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
 "http://www.w3.org/TR/html4/strict.dtd">

!!!xt

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
 Transitional//EN"
 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
 transitional.dtd">

!!!xs

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
 Strict//EN"
 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
 strict.dtd">

!!!xxs

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

c

<!-- |\${child} -->

cc:ie6

```
<!--[if lte IE 6]>  
    ${child}  
<![endif-->
```

cc:ie

```
<!--[if IE]>  
    ${child}  
<![endif-->
```

cc:noie

```
<!--[if !IE]><!-->  
    ${child}  
<!--<![endif-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: |;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

Visual Formatting

pos	position: relative ;	d:tbc	display:table-caption;
pos:s	position:static;	d:tbcl	display:table-column;
pos:a	position:absolute;	d:tbclg	display:table-column-group;
pos:r	position:relative;	d:tbhg	display:table-header-group;
pos:f	position:fixed;	d:tbfg	display:table-footer-group;
t	top: ;	d:tbr	display:table-row;
t:a	top:auto;	d:tbrg	display:table-row-group;
r	right: ;	d:tbc	display:table-cell;
r:a	right:auto;	d:rb	display:ruby;
b	bottom: ;	d:rbb	display:ruby-base;
b:a	bottom:auto;	d:rbbg	display:ruby-base-group;
l	left: ;	d:rbt	display:ruby-text;
l:a	left:auto;	d:rbtg	display:ruby-text-group;
z	z-index: ;	v	visibility: hidden ;
z:a	z-index:auto;	v:v	visibility:visible;
fl	float: left ;	v:h	visibility:hidden;
fl:n	float:none;	v:c	visibility:collapse;
fl:l	float:left;	ov	overflow: hidden ;
fl:r	float:right;	ov:v	overflow:visible;
cl	clear: both ;	ov:h	overflow:hidden;
cl:n	clear:none;	ov:s	overflow:scroll;
cl:l	clear:left;	ov:a	overflow:auto;
cl:r	clear:right;	ovx	overflow-x: hidden ;
cl:b	clear:both;	ovx:v	overflow-x:visible;
d	display: block ;	ovx:h	overflow-x:hidden;
d:n	display:none;	ovx:s	overflow-x:scroll;
d:b	display:block;	ovx:a	overflow-x:auto;
d:f	display:flex;	ovy	overflow-y: hidden ;
d:if	display:inline-flex;	ovy:v	overflow-y:visible;
d:l	display:inline;	ovy:h	overflow-y:hidden;
d:ib	display:inline-block;	ovy:s	overflow-y:scroll;
d:li	display:list-item;	ovy:a	overflow-y:auto;
d:ri	display:run-in;	ovs	overflow-style: scrollbar ;
d:cp	display:compact;	ovs:a	overflow-style:auto;
d:tb	display:table;	ovs:s	overflow-style:scrollbar;
d:itb	display:inline-table;	ovs:p	overflow-style:panner;
		ovs:m	overflow-style:move;

ovs:mq	overflow-style:marquee;
zoo, zm	zoom:1;
cp	clip: ;
cp:a	clip:auto;
cp:r	clip:rect(top right bottom left);
rsz	resize: ;
rsz:n	resize:none;
rsz:b	resize:both;
rsz:h	resize:horizontal;
rsz:v	resize:vertical;
cur	cursor:\${pointer};
cur:a	cursor:auto;
cur:d	cursor:default;
cur:c	cursor:crosshair;
cur:ha	cursor:hand;
cur:he	cursor:help;
cur:m	cursor:move;
cur:p	cursor:pointer;
cur:t	cursor:text;

Margin & Padding

m	margin: ;
m:a	margin:auto;
mt	margin-top: ;
mt:a	margin-top:auto;
mr	margin-right: ;
mr:a	margin-right:auto;
mb	margin-bottom: ;
mb:a	margin-bottom:auto;
ml	margin-left: ;
ml:a	margin-left:auto;
p	padding: ;
pt	padding-top: ;
pr	padding-right: ;
pb	padding-bottom: ;
pl	padding-left: ;

Box Sizing

bxz	box-sizing: border-box;
bxz:cb	box-sizing:content-box;
bxz:bb	box-sizing:border-box;
bxsh	box-shadow: inset hoff voff blur color;

bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0);
bxsh:ra	box-shadow: inset h v blur spread rgba(0, 0, 0, .5);
bxsh:n	box-shadow:none;
w	width: ;
w:a	width:auto;
h	height: ;
h:a	height:auto;
maw	max-width: ;
maw:n	max-width:none;
mah	max-height: ;
mah:n	max-height:none;
miw	min-width: ;
mih	min-height: ;

Font

f	font: ;
f+	font: 1em Arial,sans-serif;
fw	font-weight: ;
fw:n	font-weight:normal;
fw:b	font-weight:bold;
fw:br	font-weight:bolder;
fw:lr	font-weight:lighter;
fs	font-style:\${italic};
fs:n	font-style:normal;
fs:l	font-style:italic;
fs:o	font-style:oblique;
fv	font-variant: ;
fv:n	font-variant:normal;
fv:sc	font-variant:small-caps;
fz	font-size: ;
fza	font-size-adjust: ;
fza:n	font-size-adjust:none;
ff	font-family: ;
ff:s	font-family:serif;
ff:ss	font-family:sans-serif;
ff:c	font-family:cursive;
ff:f	font-family:fantasy;
ff:m	font-family:monospace;
ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;

ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;	va:sub	vertical-align:sub;
ff:v	font-family: Verdana, Geneva, sans-serif;	ta	text-align:left;
fef	font-effect: ;	ta:l	text-align:left;
fef:n	font-effect:none;	ta:c	text-align:center;
fef:eg	font-effect:engrave;	ta:r	text-align:right;
fef:eb	font-effect:emboss;	ta:j	text-align:justify;
fef:o	font-effect:outline;	ta-lst	text-align-last:;
fem	font-emphasize: ;	tal:a	text-align-last:auto;
femp	font-emphasize-position: ;	tal:l	text-align-last:left;
femp:b	font-emphasize-position:before;	tal:c	text-align-last:center;
femp:a	font-emphasize-position:after;	tal:r	text-align-last:right;
fems	font-emphasize-style: ;	td	text-decoration:none;
fems:n	font-emphasize-style:none;	td:n	text-decoration:none;
fems:ac	font-emphasize-style:accent;	td:u	text-decoration:underline;
fems:dt	font-emphasize-style:dot;	td:o	text-decoration:overline;
fems:c	font-emphasize-style:circle;	td:l	text-decoration:line-through;
fems:ds	font-emphasize-style:disc;	te	text-emphasis: ;
fsm	font-smooth: ;	te:n	text-emphasis:none;
fsm:a	font-smooth:auto;	te:ac	text-emphasis:accent;
fsm:n	font-smooth:never;	te:dt	text-emphasis:dot;
fsm:aw	font-smooth:always;	te:c	text-emphasis:circle;
fst	font-stretch: ;	te:ds	text-emphasis:disc;
fst:n	font-stretch:normal;	te:b	text-emphasis:before;
fst:uc	font-stretch:ultra-condensed;	te:a	text-emphasis:after;
fst:ec	font-stretch:extra-condensed;	th	text-height: ;
fst:c	font-stretch:condensed;	th:a	text-height:auto;
fst:sc	font-stretch:semi-condensed;	th:f	text-height:font-size;
fst:se	font-stretch:semi-expanded;	th:t	text-height:text-size;
fst:e	font-stretch:expanded;	th:m	text-height:max-size;
fst:ee	font-stretch:extra-expanded;	ti	text-indent: ;
fst:ue	font-stretch:ultra-expanded;	ti:-	text-indent:-9999px;

Text

va	vertical-align:top;	tj:iw	text-justify:inter-word;
va:sup	vertical-align:super;	tj:ii	text-justify:inter-ideograph;
va:t	vertical-align:top;	tj:ic	text-justify:inter-cluster;
va:tt	vertical-align:text-top;	tj:d	text-justify:distribute;
va:m	vertical-align:middle;	tj:k	text-justify:kashida;
va:bl	vertical-align:baseline;	tj:t	text-justify:tibetan;
va:b	vertical-align:bottom;	to	text-outline: ;
va:tb	vertical-align:text-bottom;	to+	text-outline:0 0 #000;

to:n text-outline:none;
tr text-replace: |;
tr:n text-replace:none;
tt text-transform: uppercase;
tt:n text-transform:none;
tt:c text-transform:capitalize;
tt:u text-transform:uppercase;
tt:l text-transform:lowercase;
tw text-wrap: |;
tw:n text-wrap:normal;
tw:no text-wrap:none;
tw:u text-wrap:unrestricted;
tw:s text-wrap:suppress;
tsh text-shadow: hoff voff blur #000;
tsh:r text-shadow: h v blur rgb(0, 0, 0);
tsh:ra text-shadow: h v blur rgba(0, 0, 0, .5);
tsh+ text-shadow: 0 0 0 #000;
tsh:n text-shadow:none;
lh line-height: |;
lts letter-spacing: |;
lts-n letter-spacing:normal;
whs white-space: |;
whs:n white-space:normal;
whs:p white-space:pre;
whs:nw white-space:nowrap;
whs:pw white-space:pre-wrap;
whs:pl white-space:pre-line;
whsc white-space-collapse: |;
whsc:n white-space-collapse:normal;
whsc:k white-space-collapse:keep-all;
whsc:l white-space-collapse:loose;
whsc:bs white-space-collapse:break-strict;
whsc:ba white-space-collapse:break-all;
wob word-break: |;
wob:n word-break:normal;
wob:k word-break:keep-all;
wob:ba word-break:break-all;
wos word-spacing: |;
wow word-wrap: |;
wow:nm word-wrap:normal;

wow:n word-wrap:none;
wow:u word-wrap:unrestricted;
wow:s word-wrap:suppress;
wow:b word-wrap:break-word;

Background

bg background: #000;
bg+ background: #fff url(|) 0 0 no-repeat;
bg:n background:none;
bgc background-color: #fff;
bgc:t background-color:transparent;
bgi background-image:url(|);
bgi:n background-image:none;
bgr background-repeat: |;
bgr:n background-repeat:no-repeat;
bgr:x background-repeat:repeat-x;
bgr:y background-repeat:repeat-y;
bgr:sp background-repeat:space;
bgr:rd background-repeat:round;
bga background-attachment: |;
bga:f background-attachment:fixed;
bga:s background-attachment:scroll;
bgp background-position: 0 0;
bgpx background-position-x: |;
bgpy background-position-y: |;
bgbk background-break: |;
bgbk:bb background-break:bounding-box;
bgbk:eb background-break:each-box;
bgbk:c background-break:continuous;
bgcp background-clip: padding-box;
bgcp:bb background-clip:border-box;
bgcp:pb background-clip:padding-box;
bgcp:cb background-clip:content-box;
bgcp:nc background-clip:no-clip;
bgo background-origin: |;
bgo:pb background-origin:padding-box;
bgo:bb background-origin:border-box;
bgo:cb background-origin:content-box;
bgsz background-size: |;
bgsz:a background-size:auto;
bgsz:ct background-size:contain;

bgsz:cv background-size:cover;

Color

c color:#000;
 c:r color:rgb(0,0,0);
 c:ra color:rgba(0,0,0,.5);
 op opacity: |;

Generated content

cnt content:'|';
 cnt:n, ct:n content:normal;
 cnt:oq, ct:oq content:open-quote;
 cnt:noq, ct:noq content:no-open-quote;
 cnt:cq, ct:cq content:close-quote;
 cnt:ncq, ct:ncq content:no-close-quote;
 cnt:a, ct:a content:attr(|);
 cnt:c, ct:c content:counter(|);
 cnt:cs, ct:cs content:counters(|);
 ct content: |;
 q quotes: |;
 q:n quotes:none;
 q:ru quotes:'\00AB' '\00BB' '\201E' '\201C';
 q:en quotes:'\201C' '\201D' '\2018' '\2019';
 coi counter-increment: |;
 cor counter-reset: |;

Outline

ol outline: |;
 ol:n outline:none;
 olo outline-offset: |;
 olw outline-width: |;
 olw:tn outline-width:thin;
 olw:m outline-width:medium;
 olw:tc outline-width:thick;
 ols outline-style: |;
 ols:n outline-style:none;
 ols:dt outline-style:dotted;
 ols:ds outline-style:dashed;
 ols:s outline-style:solid;
 ols:db outline-style:double;
 ols:g outline-style:groove;
 ols:r outline-style:ridge;
 ols:l outline-style:inset;

ols:o outline-style:outset;
 olc outline-color:#000;
 olc:l outline-color:invert;

Tables

tbl table-layout: |;
 tbl:a table-layout:auto;
 tbl:f table-layout:fixed;
 cps caption-side: |;
 cps:t caption-side:top;
 cps:b caption-side:bottom;
 ec empty-cells: |;
 ec:s empty-cells:show;
 ec:h empty-cells:hide;

Border

bd border: |;
 bd+ border: 1px solid #000;
 bd:n border:none;
 bdbk border-break:close;
 bdbk:c border-break:close;
 bdcl border-collapse: |;
 bdcl:c border-collapse:collapse;
 bdcl:s border-collapse:separate;
 bdc border-color:#000;
 bdc:t border-color:transparent;
 bdi border-image:url(|);
 bdi:n border-image:none;
 bdti border-top-image:url(|);
 bdti:n border-top-image:none;
 bdri border-right-image:url(|);
 bdri:n border-right-image:none;
 bdbi border-bottom-image:url(|);
 bdbi:n border-bottom-image:none;
 bdli border-left-image:url(|);
 bdli:n border-left-image:none;
 bdc:ci border-corner-image:url(|);
 bdc:ci:n border-corner-image:none;
 bdc:ci:c border-corner-image:continue;
 bdtli border-top-left-image:url(|);
 bdtli:n border-top-left-image:none;
 bdtli:c border-top-left-image:continue;
 bdtri border-top-right-image:url(|);

bdtri:n	border-top-right-image:none;	bdtc:t	border-top-color:transparent;
bdtri:c	border-top-right-image:continue;	bdr, br	border-right: ;
bdbri	border-bottom-right-image:url();	bdr+	border-right: 1px solid #000;
bdbri:n	border-bottom-right-image:none;	bdr:n	border-right:none;
bdbri:c	border-bottom-right-image:continue;	bdrw	border-right-width: ;
bdbli	border-bottom-left-image:url();	bdrst	border-right-style: ;
bdbli:n	border-bottom-left-image:none;	bdrst:n	border-right-style:none;
bdbli:c	border-bottom-left-image:continue;	bdrct	border-right-color: #000;
bdf	border-fit: repeat;	bdrct:t	border-right-color:transparent;
bdf:c	border-fit:clip;	bdb, bb	border-bottom: ;
bdf:r	border-fit:repeat;	bdb+	border-bottom: 1px solid #000;
bdf:sc	border-fit:scale;	bdb:n	border-bottom:none;
bdf:st	border-fit:stretch;	bdbw	border-bottom-width: ;
bdf:ow	border-fit:overwrite;	bdbbs	border-bottom-style: ;
bdf:of	border-fit:overflow;	bdbbs:n	border-bottom-style:none;
bdf:sp	border-fit:space;	bdbc	border-bottom-color: #000;
bdlen	border-length: ;	bdbc:t	border-bottom-color:transparent;
bdlen:a	border-length:auto;	bdl, bl	border-left: ;
bdsp	border-spacing: ;	bdl+	border-left: 1px solid #000;
bds	border-style: ;	bdl:n	border-left:none;
bds:n	border-style:none;	bdlw	border-left-width: ;
bds:h	border-style:hidden;	bdls	border-left-style: ;
bds:dt	border-style:dotted;	bdls:n	border-left-style:none;
bds:ds	border-style:dashed;	bdlc	border-left-color: #000;
bds:s	border-style:solid;	bdlc:t	border-left-color:transparent;
bds:db	border-style:double;	bdrs	border-radius: ;
bds:dt ds	border-style:dot-dash;	bdtrrs	border-top-right-radius: ;
bds:dt dts	border-style:dot-dot-dash;	bdtlrs	border-top-left-radius: ;
bds:w	border-style:wave;	bdbrrs	border-bottom-right-radius: ;
bds:g	border-style:groove;	bdbllrs	border-bottom-left-radius: ;
bds:r	border-style:ridge;		
bds:l	border-style:inset;		
bds:o	border-style:outset;		
bdw	border-width: ;		
bdt, bt	border-top: ;		
bdt+	border-top: 1px solid #000;		
bdt:n	border-top:none;		
bdtw	border-top-width: ;		
bdts	border-top-style: ;		
bdts:n	border-top-style:none;		
bdtc	border-top-color:#000;		

Lists

lis	list-style: ;
lis:n	list-style:none;
lisp	list-style-position: ;
lisp:l	list-style-position:inside;
lisp:o	list-style-position:outside;
list	list-style-type: ;
list:n	list-style-type:none;
list:d	list-style-type:disc;
list:c	list-style-type:circle;
list:s	list-style-type:square;

list:dc list-style-type:decimal;
 list:dclz list-style-type:decimal-leading-zero;
 list:lr list-style-type:lower-roman;
 list:ur list-style-type:upper-roman;
 lisi list-style-image: |;
 lisi:n list-style-image:none;

Print

pgbb page-break-before: |;
 pgbb:au page-break-before:auto;
 pgbb:al page-break-before:always;
 pgbb:l page-break-before:left;
 pgbb:r page-break-before:right;
 pgbi page-break-inside: |;
 pgbi:au page-break-inside:auto;
 pgbi:av page-break-inside:avoid;
 pgba page-break-after: |;
 pgba:au page-break-after:auto;
 pgba:al page-break-after:always;
 pgba:l page-break-after:left;
 pgba:r page-break-after:right;
 orp orphans: |;
 wid widows: |;

Others

! !important
 @f
 @font-face {
 font-family;
 src:url(|);
 }
 @f+
 @font-face {
 font-family: 'FontName';
 src: url('FileName.eot');
 src: url('FileName.eot?#iefix')
 format('embedded-opentype'),
 url('FileName.woff')
 format('woff'),
 url('FileName.ttf')
 format('truetype'),
 url('FileName.svg#FontName')
 format('svg');
 font-style: normal;
 font-weight: normal;
 }
 @i, @import @import url(|);

@kf

```
@-webkit-keyframes identifier {
  from { | }
  to { | }
}
@-o-keyframes identifier {
  from { | }
  to { | }
}
@-moz-keyframes identifier {
  from { | }
  to { | }
}
@keyframes identifier {
  from { | }
  to { | }
}
```

@m, @media

```
@media screen {
  |
}
```

ac align-content: |;
 ac:c align-content:center;
 ac:fe align-content:flex-end;
 ac:fs align-content:flex-start;
 ac:s align-content:stretch;
 ac:sa align-content:space-around;
 ac:sb align-content:space-between;
 ai align-items: |;
 ai:b align-items:baseline;
 ai:c align-items:center;
 ai:fe align-items:flex-end;
 ai:fs align-items:flex-start;
 ai:s align-items:stretch;
 anim animation: |;
 anim- animation: name duration timing-
 function | delay | iteration-
 count | direction | fill-mode;
 animdel animation-delay: time;
 animdir animation-direction: normal;
 animdir:a animation-direction:alternate;
 animdir:ar animation-direction:alternate-reverse;
 animdir:n animation-direction:normal;
 animdir:r animation-direction:reverse;
 animdur animation-duration: 0s;
 animfm animation-fill-mode: both;
 animfm:b animation-fill-mode:backwards;

animfm:bt, animfm:bh	animation-fill-mode:both;		*display: inline; *zoom: 1;
animfm:f	animation-fill-mode:forwards;		
animic	animation-iteration-count: 1 ;	fx	flex: ;
animic:l	animation-iteration-count:infinite;	fxb	flex-basis: ;
animn	animation-name: none ;	fxd	flex-direction: ;
animps	animation-play-state: running ;	fxd:c	flex-direction:column;
animps:p	animation-play-state:paused;	fxd:cr	flex-direction:column-reverse;
animps:r	animation-play-state:running;	fxd:r	flex-direction:row;
animtf	animation-timing-function: linear ;	fxd:rr	flex-direction:row-reverse;
animtf:cb	animation-timing-function:cubic-bezier(0.1 , 0.7 , 1.0 , 0.1);	fxf	flex-flow: ;
animtf:e	animation-timing-function:ease;	fxg	flex-grow: ;
animtf:ei	animation-timing-function:ease-in;	fxsh	flex-shrink: ;
animtf:eio	animation-timing-function:ease-in-out;	fxw	flex-wrap: ;
animtf:eo	animation-timing-function:ease-out;	fxw:n	flex-wrap:nowrap;
animtf:l	animation-timing-function:linear;	fxw:w	flex-wrap:wrap;
ap	appearance:\${none};	fxw:wr	flex-wrap:wrap-reverse;
as	align-self: ;	jc	justify-content: ;
as:a	align-self:auto;	jc:c	justify-content:center;
as:b	align-self:baseline;	jc:fe	justify-content:flex-end;
as:c	align-self:center;	jc:fs	justify-content:flex-start;
as:fe	align-self:flex-end;	jc:sa	justify-content:space-around;
as:fs	align-self:flex-start;	jc:sb	justify-content:space-between;
as:s	align-self:stretch;	mar	max-resolution: res ;
bfv	backface-visibility: ;	mir	min-resolution: res ;
bfv:h	backface-visibility:hidden;	op+	opacity: ;
bfv:v	backface-visibility:visible;	op:ie	filter: alpha(opacity=);
bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod= crop);	op:ms	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100); -ms-filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';
cm	/* \${child} */	ord	order: ;
colm	columns: ;	ori	orientation: ;
colmc	column-count: ;	ori:l	orientation:landscape;
colmf	column-fill: ;	ori:p	orientation:portrait;
colmg	column-gap: ;	tov	text-overflow:\${ellipsis};
colmr	column-rule: ;	tov:c	text-overflow:clip;
colmrc	column-rule-color: ;	tov:e	text-overflow:ellipsis;
colmrs	column-rule-style: ;	trf	transform: ;
colmrw	column-rule-width: ;	trf:r	transform: rotate(angle);
colms	column-span: ;	trf:rx	transform: rotateX(angle);
colmw	column-width: ;	trf:ry	transform: rotateY(angle);
d:ib+	display: inline-block;		

trf:rz	transform: rotateZ(angle);	trsd	transition-duration: time ;
trf:sc	transform: scale(x , y);	trsp	transition-property: prop ;
trf:sc3	transform: scale3d(x , y , z);	trstf	transition-timing-function: tfunc ;
trf:scx	transform: scaleX(x);	us	user-select: \${none};
trf:scy	transform: scaleY(y);	wfsm	-webkit-font-smoothing: \${antialiased};
trf:scz	transform: scaleZ(z);	wfsm:a	-webkit-font-smoothing: antialiased;
trf:skx	transform: skewX(angle);	wfsm:n	-webkit-font-smoothing: none;
trf:sky	transform: skewY(angle);	wfsm:s, wfsm:sa	-webkit-font-smoothing: subpixel-antialiased;
trf:t	transform: translate(x, y);	wm	writing-mode: lr-tb ;
trf:t3	transform: translate3d(tx , ty , tz);	wm:bt	writing-mode: bt-lr;
trf:tx	transform: translateX(x);	wm:btr	writing-mode: bt-rl;
trf:ty	transform: translateY(y);	wm:lrb	writing-mode: lr-bt;
trf:tz	transform: translateZ(z);	wm:lrt	writing-mode: lr-tb;
trfo	transform-origin: ;	wm:rlb	writing-mode: rl-bt;
trfs	transform-style: preserve-3d ;	wm:rlt	writing-mode: rl-tb;
trs	transition: prop time ;	wm:tbl	writing-mode: tb-lr;
trsde	transition-delay: time ;	wm:tbr	writing-mode: tb-rl;

XSL

tmatch, tm

```
<xsl:template match="|"
mode="|">|</xsl:template>
```

tname, tn

```
<xsl:template name="|">|</xsl:template>
```

call

```
<xsl:call-template name="|" />
```

ap

```
<xsl:apply-templates select="|" mode="|" />
```

api

```
<xsl:apply-imports />
```

imp

```
<xsl:import href="|" />
```

inc

```
<xsl:include href="|" />
```

ch

```
<xsl:choose>|</xsl:choose>
```

xsl:when, wh

```
<xsl:when test="|">|</xsl:when>
```

ot

```
<xsl:otherwise>|</xsl:otherwise>
```

if

```
<xsl:if test="|">|</xsl:if>
```

par

```
<xsl:param name="|">|</xsl:param>
```

pare

```
<xsl:param name="|" select="|" />
```

var

```
<xsl:variable name="|">|</xsl:variable>
```

vare

```
<xsl:variable name="|" select="|" />
```

wp

```
<xsl:with-param name="|" select="|" />
```

key

```
<xsl:key name="|" match="|" use="|" />
```

elem

```
<xsl:element name="|">|</xsl:element>
```

attr

```
<xsl:attribute name="|">|</xsl:attribute>
```

attr

```
<xsl:attribute-set name="|">|</xsl:attribute-set>
```

